

CATOSAL - butafosfan and cyanocobalamin solution
Bayer HealthCare LLC Animal Health Division

CAUTION: Federal law (U.S.A.) restricts this drug to use by or on the order of a licensed veterinarian.

INDICATIONS :

CATOSAL™ is a source of Vitamin B12 and phosphorus for prevention or treatment of deficiencies of these nutrients in cattle, swine, horses and poultry.

Contains Per mL:

1-(n-Butylamino)-1-methylethyl phosphonous acid
(Butaphosphan).....100 mg
Cyanocobalamin (Vitamin B12).....0.05 mg
n-Butyl alcohol (as preservative).....30 mg

Butaphosphan provides 17.3 mg of phosphorus in 1 mL of CATOSAL™ solution.

PRECAUTIONS:

Use standard aseptic procedures during administration of injections. Volumes of more than 10mL should be split and given at separate intramuscular or subcutaneous sites.

For customer service or to obtain product information, including a Material Safety Data Sheet, call 1-800-633-3796. For medical emergencies or to report adverse reactions, call 1-800-422-9874.

DOSAGE AND ADMINISTRATION

Give by subcutaneous, intramuscular or intravenous injection according to the following table:

| | |
|---------|-----------------------------------|
| Cattle | 1 - 2 mL per 100 lbs body weight |
| Calves | 2 - 4 mL per 100 lbs body weight |
| Horses | 1 - 2 mL per 100 lbs body weight |
| Swine | 2 - 5 mL per 100 lbs body weight |
| Piglets | 1 - 2.5 mL per animal |
| Poultry | 1 - 3 mL per Liter drinking water |

Repeat daily as needed.

HUMAN WARNINGS:

For animal use only. Keep out of reach of children.

RESIDUE WARNINGS:

This product has a zero day withdrawal period for meat, milk, and eggs.

STORAGE CONDITIONS:

Store at temperatures below 30°C (86°F), avoiding freezing.

Bayer, the Bayer Cross and Catosal are trademarks of Bayer.

Patent Pending.

81177490

14226

© 2008 Bayer HealthCare LLC

Printed in USA

PRINCIPAL DISPLAY PANEL



PRINCIPAL DISPLAY PANEL

